



Cable Fitted Pullover

WR1775



Designed by Linda Cyr

Directions are for size Small. Changes for sizes Medium, Large and X-Large are in parentheses.

RED HEART® “Designer Sport™”: 4 (4, 4, 5) skeins in desired color.

Knitting Needle: 3.5mm [US 4] circular needle, 29” long.
Cable needle.
Stitch markers in 3 colors.

Stitch holders.
Yarn needle.

GAUGE: 20 sts = 4”; 28 rows = 4” in Stockinette Stitch.
CHECK YOUR GAUGE. Use any size needles to obtain the specified gauge.

Finished Chest: 34 (38, 41, 44)”.
Finished Length: 22 (23, 24, 26)”.

Note: Pieces are worked back and forth in rows to beginning of armhole. Pieces are then joined and worked in the round.

FRONT

Cast on 94 (102, 110, 118) sts.

Row 1 (RS): [K2, p2] across to last 2 sts, k2.

Row 2: [P2, k2] across to last 2 sts, p2.

Repeat last 2 rows until piece measures 4”, end with a wrong side row.

Begin Cable Pattern

Row 1 (RS): P39 (43, 47, 51), k16, purl to end.

Row 2: K39 (43, 47, 51), p16, knit to end.

Repeat last 2 rows 6 (8, 10, 1) times.

Cable Row (RS): P39 (43, 47, 51), slip 8 sts to cable needle and hold in front, k8, k8 from cable needle, purl to end.

Repeat Rows 1 and 2 until 25 rows have been worked.
Repeat Cable Row.

Repeat last 26 rows until piece measures 13 (13½, 14, 15½)” from beginning, end with a wrong side row.

Shape Armhole

Bind off 4 sts at beginning of next 2 rows – 86 (94, 102, 110) sts.

Slip sts to stitch holder for Front.

BACK

Work rib as for Front, end with a wrong side row.

Begin Pattern

Row 1 (RS): P11 (15, 19, 23), [p2tog, p8] 8 times, purl to end – 86 (94, 102, 110) sts.

Work in Rev St st piece measures same length as Front to beginning of armhole shaping, end with a wrong side row.

Shape Armhole

Bind off 4 sts at beginning of next 2 rows – 78 (86, 94, 102) sts.





Slip sts to stitch holder for Back.

SLEEVES

Cast on 50 (54, 58, 62) sts.

Row 1 (RS): [K2, p2] across to last 2 sts, k2.

Row 2: [P2, k2] across to last 2 sts, p2.

Repeat last 2 rows until piece measures 4", end with a wrong side row.

Increase Row (RS): P2, increase in next st, purl across to last 3 sts, increase in next st, p2 – 52 (56, 60, 64) sts.

Continue to work in Rev St st, working Increase Row every 8th row 6 (6, 7, 7) more times – 64 (68, 74, 78) sts.

Work even until piece measures 12 (12½, 13, 13½)" from beginning, end with a wrong side row.

Shape Armhole

Bind off 4 sts at beginning of next 2 rows – 56 (60, 66, 70) sts.

Slip sts to stitch holder for Sleeve

YOKE

Joining Round (RS): Purl across 86 (94, 102, 110) sts from Front stitch holder, place marker in first color, [p28 (30, 33, 35) sts, place marker in second color, p28 (30, 33, 35) sts] from Sleeve stitch holder, place marker in first color, p78 (86, 94, 102) sts from Back stitch holder, place marker in first color, [p28 (30, 33, 35) sts, place marker in second color, p28 (30, 33, 35) sts] from Sleeve stitch holder, join and place marker in first color for beginning of round – 276 (300, 328, 352) sts.

Keeping cable pattern as established, purl 3 rounds.

Decrease Round: *P1, ssp, work to 3 sts before next first color stitch marker, p2tog, p1; repeat from * 3 times – 268 (292, 320, 344) sts.

Keeping cable pattern as established, repeat Decrease Round every 4th round 11 more times for Armhole, changing Decrease Round as indicated.

At Same Time, when Decrease Round has been worked 3 more times, end ready for a Decrease Round – 244 (268, 296, 320) sts.

Shape Shoulders

Decrease Round: *P1, ssp, work to 3 sts before next stitch marker of either color, p2tog, p1; repeat from * 5 times – 232 (256, 284, 308) sts.

Continue to work Decrease Round every 4th round 2 more times, end with a Decrease Round – 208 (232, 260, 284) sts.

Keeping cable pattern as established, work 1 round.

Shape Neck

Row 1: Work across Front to 1 st before 16-st Cable, place marker in third color for neck, k2tog, k7, cast on 8 sts, turn.

Row 2: P15, p2tog, work across all sts to 1 st before opposite side of 16-st Cable, place marker in third color for neck, ssp, p7, cast on 8 sts, turn.

Row 3: Increase 1 st in first st, knit to 1 st before neck marker, ssk, continuing to work Armhole and Shoulder decreases at markers as established, purl to 1 st before neck marker, k2tog, knit to last st, increase 1 st in last st.

Row 4: Purl to 1 st before neck marker, p2tog, knit to 1 st before neck marker, ssp, purl to end.

Continuing to work Armhole and Shoulder decreases at markers as established, repeat last 2 rows 9 more times for neck – 26 neck sts each side for Collar.

For Sizes (M, L, X) Only

Next Row: Knit to 1 st before neck marker, ssk, work around to 1 st before next neck marker, k2tog, k to end.

Next Row: Purl to last st before neck marker, p2tog, work around to 1 st before neck marker, ssp, p to end.

Repeat last 2 rows (1, 2, 4) more times.

All Sizes

Next Row (RS): Work as established.

COLLAR

Left Collar

Next Row (WS): P25, p2tog, slip 1, turn.

Next Row: K2tog, knit across.

Repeat last 2 rows until Collar reaches center of Back. Slip sts to stitch holder.

Right Collar

Next Row: With right side facing, join yarn at opposite neck sts, k25, ssk, slip 1, turn.

Next Row: P2tog tbl, purl across.

Repeat last 2 rows until Collar reaches center of Back. Bind off Right Collar sts with Left Collar sts using Three-Needle Bind Off.

FINISHING

Sew side and Sleeve seams. Fold Collar in half to inside and sew in place.

Weave in ends.





RED HEART® “Designer Sport™”,
Art.E744 (3 ounce/279 yard ball).

ABBREVIATIONS: **K** = knit; **mm** = millimeters; **P** = purl;
st(s) = stitch(es); **p2tog** = purl 2 stitches together;
pssso = pass the slipped st over; **ssk** = slip, slip, knit these
2 stitches together—a decrease; **ssp** = slip, slip, knit these
2 stitches together—a decrease; **tog** = together; **yo** = yarn
over; **[]** = work directions in brackets the number of times
specified; * = repeat whatever follows the * as indicated.

